

PROSPECTOR II Track Mounted RC/RAB Drill

MULTI POWER



FEATURES

260 HP QSB6.7 Cummins Diesel 400 CFM / 200 PSI Compressor Turnkey RAB/RC Drill Can Be Shipped in a 20ft Sea Container







Prospector II – Track Mounted RC/RAB Drill

DEPTH CAPACITIES: Based on 400 CFM / 200 PSI compressor	
3-1/2" (89mm)	330 ft / 100 m* *Depending on ground conditions
PRIME MOVER	

Model:	Cummins QSB6.7, 6 cylinder, turbo charged diesel engine	
Power:	260 HP @ 2200 RPM	

STANDARD COMPRESSOR		
Model:	Termoneccanica SCA14 62/28 air end	
Capacity:	400 CFM / 200 PSI	

COOLING	
Ambient temperature rating:	50 Deg C (122 Deg F)
Coolers:	Hydraulic driven fans

TRACK PACKAGE	
Model:	Cat 307 steel tracked undercarriage
Design:	Hyd. driven piston motors, spring brake, 2 speed, 450mm shoes
Speed:	3.3 mph

TOP DRIVE ROTATION UNIT:		
Max torque:	2500 lbs /ft	
RPM:	0-120 RPM	
Spindle:	Floating w/ NSE2-7/8" Reconn thread	
Rotation motor:	Char-Lynn 6K series	

MAST AND FEED

Design:	Chain over cylinder feed
Pullback:	15,000 lbs.
Pullback speed:	0-76 fpm
Pulldown:	10,600 lbs.
Pulldown speed:	0-73 fpm
Feed stroke:	12.5 ft
Working angle:	45 to 90 degree
Mast dump:	40" travel

CONTROL PANEL		
Panel:	Engine display, drilling functions, setup functions, & E-stop	
Gauges:	Rotation, holdback & air pressure	

HYDRAULIC SYSTEM	
Design:	Fully hydraulic, no electronics, open loop
Capacity:	132 GPM
System pressure:	3200 PSI feed/rotation & 5000 PSI travel
Filtration:	10 micron
Components:	Sauer Danfoss, Valvoil, Rexroth & Parker
Heat exchanger:	Air:oil

WINCH	
Design:	Planetary style w/ fail safe brake
Pull:	1925 lbs.
Capacity:	100 ft x 1/4" cable

WATER INJECTION PUMP	
Max flow:	9 GPM
Max pressure:	550 PSI

LUBRICATOR	
Design:	Adjustable pneumatically driven pump
Capacity:	0.634 gph

DRILL TABLE/BOP	
Opening:	5-1/2"
Break out:	Hydraulic 36" pipe wrench
WEIGHT 20,000 LBS	
DIMENSIONS 8' 7" W X 20' L X 9' 8" HT	

INCLUDED ACCESSORIES

Sample cyclone, rod rack, rear stabilizers, blade assy, RC swivel

OPTIONS

Rubber tracks

Booster package

RAB package

Operator cab

Sample splitting equipment

Rod handlers

PIONE Specialty & Multi-Purpose Air Rotary **Diamond Core** Seismic

MULTI POWER PRODUCTS LTD

975 CROWLEY AVENUE KELOWNA BC CANADA V1Y 9R6 P 250.860.6969 F 250.860.3340

MULTIPOWERPRODUCTS.COM

MULTI POWER

MULTIPOWERPRODUCTS.COM