

GRASSHOPPERTrack Mounted RC/RAB Drill

MULTI POWER



FEATURES

Light weight modular design
No module over 1250 lbs.
Ideal for early stage exploration
Available booster package to increase depth capacity





Grasshopper - Track Mounted RC/RAB Drill

DEPTH CAPACITIES: Based on 1150 CFM / 500 PSI compressor

3-1/2" (89mm)

330 ft / 100 m*

*Depending on ground conditions

PRIME MOVER

Model: Kubota V1505T, 4 cylinder, turbo charged diesel engine

Power: 44.2 HP @ 3000 RPM

TRACK PACKAGE

Model:

Cat 304C

Design:

Hyd. driven piston motors, spring brake, 2 speed,

400mm shoes

Speed: 3.3 mph

TOP DRIVE ROTATION UNIT:

Max torque:

1500 lbs /ft

RPM:

0-120 RPM

Spindle:

Floating w/ NSE2-7/8" Reconn thread

Rotation motor: Char-Lynn 6K series

MAST AND FEED

Design:	Cylinder feed
Pullback:	16,200 lbs.
Pulldown:	8250 lbs.
Feed speed:	0-76 fpm
Feed stroke:	84"
Working angle:	45 to 90 degree
Mast dump:	40" travel

SWIVEL

Design: Combination air inlet/sample discharge

Spindle: Floating

Discharge: HD 2" Gooseneck assy.

BLADE

Width: 7 ft

Blade travel: 6" below track bottom, 22" above track bottom

HYDRAULIC SYSTEM

Design: Fully hydraulic, no electronics, open loop

Capacity: 20 GPM

System pressure: 3000 PSI

Filtration: 10 micron

Components: Sauer Danfoss, Char-Lynn & Parker

Heat exchanger: Air:oil

CONTROL PANEL

Panel: Feed, rotate, setup functions, & E-stop

Gauges: Rotation, holdback & air pressure

WATER INJECTION PUMP

Max flow: 5 GPM

Max pressure: 550 PSI

DRILL TABLE/BOP

Opening: 4-1/2"

WEIGHT 10,000 LBS.

DIMENSIONS: 7' W X 13' 2" L X 7' 5" HT

INCLUDED ACCESSORIES

Sample cyclone, air needle, saver sub, discharge/pressure hose

OPTIONS

Compressor package

Booster package

RAB package

Sample splitting equipment



MULTI POWER PRODUCTS LTD

975 CROWLEY AVENUE KELOWNA BC CANADA V1Y 9R6 P 250.860.6969 F 250.860.3340

MULTIPOWERPRODUCTS.COM

